

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922) 49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Сургут (3462)77-98-35
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольяти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://cleaver.nt-rt.ru> || cea@nt-rt.ru

Приборы для работы с жидкостями

Многоканальные пипетки



omniPETTE 8 Channel

SKU: CV8

- 8 Multichannel version
- Easy operation for right- and left-handed users
- Low pipetting forces
- Highly durable shaft
- UV resistant
- Recalibration system
- Autoclaveable
- Three Year Warranty

SPECIFICATIONS

SKU	CV8-10	CV8-200	CV8-300	CV8-50
Volume Range	0.5 - 10ul	20 - 200ul	50 - 300ul	5 - 50ul



omniPETTE 12 Channel

SKU: CV12

- 12 Multichannel version
- Easy operation for right- and left-handed users
- Low pipetting forces
- Highly durable shaft
- UV resistant
- Recalibration system
- Autoclaveable
- Three year warranty

SPECIFICATIONS

SKU	CV12-10	CV12-200	CV12-300	CV12-50
Volume Range	0.5 - 10ul	20 - 200ul	50 - 300ul	5 - 50ul

Перистальтические насосы



Adjustable Speed Peristaltic Pump

SKU: PP

- LED Parameter display
- Start/Stop/Directions toggle switch
- Speed control switch
- Economical, durable and suitable for a wide variety of applications
- Quick change pump

SPECIFICATIONS

SKU	PP1	PP1\$
------------	------------	--------------

Unit Dimensions (cm)	25.7 x 18.5 x 14.9 cm	25.7 x 18.5 x 14.9 cm
Weight (Kg)	4.64	4.64
Speed	1 - 350 rpm	1 - 350 rpm
Resolution	0.1 rpm below 100 rpm, 1 rpm above 100 rpm	0.1 rpm below 100 rpm, 1 rpm above 100 rpm
Pump Flow Rate	0.0016 – 1330 ml/min	0.0016 – 1330 ml/min
Input Voltage	AC 220V, 50/60Hz	AC 110V, 50/60 Hz
Operating Temperature	0-40°C	0-40°C
Maximum relative humidity	<80%	<80%
Display	LCD	LCD
Compliance Marks	CE, IP31	CE, IP31
Power	<50W	<50W

Silicon Tube 3/8 25 Ft

SKU: **MU-S18**

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

Silicon Tube 1/8 25 Ft

SKU: **MU-S16**

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

Silicon Tube 1/32 25 Ft

SKU: **MU-S13**

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

Silicon Tube 1/16 25 Ft

SKU: **MU-S14**

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

Silicon Tube 1/4 25 Ft

SKU: **MU-S17**

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

Silicon Tube 3/16 25 Ft

SKU: **MU-S25**

Наполнители для пипеток



OmniPET Pipette Filler

SKU: OMNIPET

SKU: OMNIPET

- Suitable for 0.5 ml to 100 ml pipettes
- Ergonomically shaped handle
- Sensitive valves for precise work with low volume pipettes
- Protected by filter and safety valve
- Autoclavable nosepiece and pipette holder
- Charging stand optional accessory

Pipetting never felt so easy

OmniPET is a revolutionary powered pipette filler, designed for cordless work with glass or plastic pipettes in the 0.5-100 ml range. We designed the OmniPET to be easy and convenient; with a carefully modeled lightweight handle, smooth push buttons and switches located right where they are needed, effortless pipetting, even during extensive use, is guaranteed. For convenient storage the OmniPET is equipped with rest wings.

Adjust it to suit your work

OmniPET's easily accessible switches allow you to choose different operation mode depending on the volume of the pipette and viscosity of liquid. For liquid aspiration the user can choose HIGH or LOW work speed and additionally adjust the suction

by the pressure applied to the trigger button. Dispensing can be carried out by gravity (GRAV) or supported by pump (BLOW) which empties the pipette with blow out.

No worries about safety

Many pipette fillers are not sufficiently protected against overfilling. When an aggressive liquid enters the body of a pipetting aid it may damage the tool or constitute a threat to the users health. We have equipped the OmniPET not only with standard PTFE filters, but also a safety valve, blocking any liquid from entering the unit. To protect your samples from cross contamination, filters and pipette holders can be easily exchanged and autoclaved.

Always ready

The OmniPET's powerful, environmentally friendly Ni-MH battery allows many hours of continuous work. You do not have to stop your work to recharge... just plug in the power supply jack and charge while working! The OmniPET battery is automatically protected against overcharging with timing and thermal systems so you do not need to worry about leaving it on an overnight charge. The OmniPET can also be supplied with a charging stand.



Charging Stand for Omnipet

SKU: **OMNIPET-CS**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

Одноканальные пипетки



omniPETTE

SKU: CV

- Easy operation for right- and left-handed users
- Low pipetting forces
- Highly durable shaft
- UV resistant
- Recalibration system
- Autoclaveable
- Three year warranty

SPECIFICATIONS

SKU	CV10	CV100	CV1000	CV10000	CV2	CV20	CV200	CV50	CV5000
Volume Range	0.5 - 10ul	10 - 100ul	100 - 1000ul	1000 - 10,000ul	0.2 - 2ul	2 - 20ul	20 - 200ul	5 - 50ul	1000 - 5000ul



•

omniPETTE Starter Pack with 2 – 1000 µl pipettes and stand

SKU: **CVSTARTERPACK**

- Includes CV2, CV20, CV200, CV1000 and CV-4POS Stand
- Easy operation for right- and left-handed users
- Low pipetting forces
- Highly durable shaft
- UV resistant
- Autoclaveable
- Three year warranty



•

Mini Fixed Volume Pipette

SPECIFICATIONS

Model No.	Vol. (µl)	Accuracy	CV
		±%	±%
MFVP-5	5	2.5	1.5
MFVP-10	10	1.2	0.8
MFVP-20	20	1.0	0.5
MFVP-50	50	1.0	0.4
MFVP-100	100	0.8	0.3
MFVP-200	200	0.8	0.3



EZEEpette

SKU: EZEETPETTE

- Adjust Volume Easily with Plunger
- Autoclaveable
- Universal Tipcone
- Easy operation for right- and left-handed users
- Recalibration Tool Included

SPECIFICATIONS

SKU	Range	Volume μl	Inaccuracy $\pm\%$	Inaccuracy $\pm\mu\text{l}$	Imprecision $\pm\%$	Imprecision $\pm\mu\text{l}$
EZEETPETTE-2	0.2-2.0 μl	2	2	0.04	1.2	0.024
EZEETPETTE-10	0.5-10 μl	10	1	0.1	0.5	0.05
EZEETPETTE-20	2-20 μl	20	0.8	0.16	0.4	0.08
EZEETPETTE-100	10-100 μl	100	0.6	0.6	0.2	0.2
EZEETPETTE-200	20-200 μl	200	0.6	1.2	0.2	1.4
EZEETPETTE-1000	100-100 μl	1000	0.6	6	0.2	2

Наконечники для пипеток

Moulded in 99.9% medical grade polypropylene, Cleaver Scientific filter barrier tips provide exceptional performance when pipetting microvolumes. Their thin-wall design offers a perfect seal and excellent compatibility with most popular brands of pipettes. The rated volume of each tip can be aspirated with space to spare, while the inert Ultra High Molecular Weight Polyethylene (UHMWPE) filter with its consistent porosity (20 microns) allows air flow but not aqueous solutions, so protecting samples and pipette from contamination. Cleaver Scientific filter tips can be autoclaved.



0.5-10 μ l Pipette Tips, Natural, Racked, Low Retention, Non-Sterile

SKU: T-300-C-L-R

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

0.5-10 μ l Pipette Tips, Natural, Racked, Low Retention, Pre-Sterilised

SKU: T-300-C-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

0.5-10 μ l Pipette Tips, Natural, Racked, Non-Sterile

SKU: T-300-C-R

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

0.5-10µl Pipette Tips, Natural, Racked, Pre-Sterilised

SKU: T-300-C-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

0.5-20µl Pipette Tips, Natural, Racked, Low Retention, Non-Sterile

SKU: T-400-C-L-R

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

0.5-20µl Pipette Tips, Natural, Racked, Low Retention, Pre-Sterilised

SKU: T-400-C-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

0.5-20µl Pipette Tips, Natural, Racked, Non-Sterile

SKU: T-400-C-R

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

0.5-20µl Pipette Tips, Natural, Racked, Pre-Sterilised

SKU: **T-400-C-R-S**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

1-200µl Pipette Tips, Natural, Racked, Bevelled, Low Retention, Non-Sterile

SKU: **T-200-C-L-R**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

1-200 μ l Pipette Tips, Natural, Racked, Bevelled, Low Retention, Pre-Sterilised

SKU: **T-200-C-L-R-S**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

1-200 μ l Pipette Tips, Natural, Racked, Bevelled, Non-Sterile

SKU: **T-200-C-R**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

1-200 μ l Pipette Tips, Natural, Racked, Bevelled, Pre-Sterilised

SKU: T-200-C-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

100-1000 μ l Pipette Tips, Natural, Racked, Bevelled, Low Retention, Non-Sterile

SKU: T-1000-C-L-R

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

100-1000µl Pipette Tips, Natural, Racked, Bevelled, Low Retention, Non-Sterile

SKU: T-1000-C-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

100-1000µl Pipette Tips, Natural, Racked, Bevelled, Non-Sterile

SKU: T-1000-C-R

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

100-1000µl Pipette Tips, Natural, Racked, Bevelled, Pre-Sterilised

SKU: T-1000-C-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

-



-

1000µl Extended, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: FT-1000XL-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

1000µl, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: FT-1000-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

20µl, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: FT-20-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

1000µl Extended, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: FT-1000XL-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

1000µl, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: FT-1000-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

200µl, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: **FT-200-L-R-S**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

200µl, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: **FT-200-R-S**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

100µl, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: FT-100-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

20µl, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: FT-20-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

10µl, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: **FT-300-L-R-S**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

10µl, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: **FT-300-R-S**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

100µl, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: FT-100-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

10µl Long, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: FT-400-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

10µl Long, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: FT-400-L-R-S

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

200 µL Gel Loading Tips, Round orifice, 0.57 mm thick, Racked

SKU: 4837-00



•

10 μ L Gel Loading Filter Tips, Round orifice, 0.57 mm thick, Sterile, Racked

SKU: 4817-SF

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



•

10 μ L Gel Loading Tips, Flat orifice, 0.17 mm thick, Racked

SKU: 4817-0B



•
10 μ L Gel Loading Tips, Flat orifice, 0.17 mm thick, Sterile, Racked

SKU: 4817-SB



•
10 μ L Gel Loading Tips, Flat orifice, 0.37 mm thick, Racked

SKU: 4817-0A



•
10 μ L Gel Loading Tips, Flat orifice, 0.37 mm thick, Sterile, Racked

SKU: 4817-SA



•
10 μ L Gel Loading Tips, Round orifice, 0.57 mm thick, Racked

SKU: 4817-00



•

10 µL Gel Loading Tips, Round orifice, 0.57 mm thick, Sterile, Racked

SKU: 4817-S0



•

100 µL Gel Loading Filter Tips, Short Body, Round orifice, 0.57 mm thick, Sterile, Racked

SKU: 4847-BF



20 µL Gel Loading Filter Tips, Short Body, Round orifice, 0.57 mm thick, Sterile, Racked

SKU: 4847-AF



200 µL Gel Loading Tips, Flat orifice, 0.17 mm thick, Racked

SKU: 4837-0B



•
200 μ L Gel Loading Tips, Flat orifice, 0.17 mm thick, Sterile, Racked

SKU: 4837-SB



•
200 μ L Gel Loading Tips, Flat orifice, 0.37 mm thick, Racked

SKU: 4837-0A



•
200 μ L Gel Loading Tips, Flat orifice, 0.37 mm thick, Sterile, Racked

SKU: 4837-SA



•
200 μ L Gel Loading Tips, Round orifice, 0.57 mm thick, Sterile, Racked

SKU: 4837-S0



•

200 µL Gel Loading Tips, Short Body, Round orifice, 0.57 mm thick, Stepped, Bulk

SKU: 4840-00



•

200 µL Gel Loading Tips, Short Body, Round orifice, 0.57 mm thick, Sterile, Racked

SKU: 4847-S0

•

50µl, Aerosol Barrier Pipette Tips, Low Retention, Racked, Sterile

SKU: FT-50-L-R-S

50µl, Aerosol Barrier Pipette Tips, Racked, Sterile

SKU: FT-50-R-S

Стойки для пипеток



omniPETTE – Rotating Stand

SKU: CV-RS

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions



-

4 Position Stand for Single Channel Pipettes

SKU: **CV-4POS**

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



-

1 Position Stand for Single or MC pipette.

SKU: **CV-1POS**

- This unit has a 12 month limited warranty, for more information, consult our terms and conditions.



Multiple Stand for 3 x Multi Channel pipettes

SKU: **CV-MS**

This unit has a 12 month limited warranty, for more information, consult our terms and conditions.

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922) 49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58
Иваново (4932)77-34-06
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Россия (495)268-04-70

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Сургут (3462)77-98-35
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Казахстан (772)734-952-31

Тольяти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://cleaver.nt-rt.ru> || cea@nt-rt.ru